



Download Form to Fill In & Return



Standard Heights

- Upper Mantel 56" (142.2cm)
- Lower Mantel 56" (142.2cm)
- Hearth 3" (7.62cm)
- Total Height: 115" (292cm)

Standard Widths

- Upper Mantel 80" (203.2cm)
- Lower Mantel 80" (203.2cm)
- Hearth 84" (213.36cm)

Standard Depths

- Upper Mantel 12" (30.4cm)
- Lower Mantel 18" (45.7cm)
- Hearth 18" (45.7cm)

* Multi-Part Assembly and Install by others

Ensure that heat surrounds (ie firebox surround) and back wall protection meets both firebox manufacturer's specifications and local building codes for combustible items. 1 Layer of grey cement board on the back wall is not satisfactory for wall protection of heat source.

* All specifications subject to change without notice

Final product appearance may vary from this brochure. Request samples. All are natural products and there can be finish per batch or texture variances per product.





Imperial Fireplace Mantels: IPFP500-SM

Your
In Wall
FireBox
FlatWall

Manufacturer _____ Model _____

Height _____ Width _____

How Far Off the Floor _____

Ensure that heat surrounds (ie firebox surround) and back wall protection meets both firebox manufacturer's specifications and local building codes for combustible items. 1 Layer of grey cement board on the back wall is not satisfactory for wall protection of heat source.

Filler Panel Options

Select Filler: _____ (A or B)

Filler A
3 Parts
Firebox sits
on Floor



Filler B
4 Parts
Firebox is
Raised off
the Floor



Filler Top Width _____

Filler Top Width _____

Filler Top Height _____

Filler Top Height _____

Side (L&R)

Side (L&R)

Width _____ Height _____

Width _____ Height _____

Bottom Width _____

Height _____



Imperial Productions®

1-800-399-7585 Toronto / New York / Chicago

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

APR-23



Imperial Fireplace Mantels: IPFP001

Hearth Dimensions




Width Standard 84" Depth Standard 18"

Height Standard 3"

Finish

Enter Selection _____



Properties: An interior molded stone composite of alpha gypsum, pigment, aggregates, water and polymers creating the look of natural limestone. Lite weight 2-5 lbs per sq foot (.907kg to 2.26kg per 30.48 square)

Fire Rated: Class A (ASTM-E84) Usage: Sold as a building component, Interior use only

* Note colors vary as per ambient lighting / screen resolution Order sample for verification

* Touch Up Kit is Included



Imperial Productions®

1-800-399-7585 Toronto / New York / Chicago

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

APR-23



Imperial Fireplace Mantels: IPFP500

Bill to:

Name/Company _____

Street: _____ City: _____

PC/Zip _____

Ship to:

Street: _____ City _____

PC/Zip _____

Residential or Commercial Address _____

Email: _____

Phone: _____

Date: _____

* Note: Mantel is applied to a Flat Wall with in wall firebox